



ARTIFICIAL STONES















Showroom No-01, Al Falasi Building, Salaheldin Street Deira, Dubai-UAE



@ghinteriorsLLC

About Us: Crafting Beauty in Concrete and Bricks Showroom!

At Good Hand Stones and Concrete Flooring LLC, we are passionate about transforming Ordinary spaces into extraordinary masterpieces. Our showroom is your gateway to a world where creativity meets craftsmanship, and where your imagination comes to life through the versatility of decorative concrete and bricks.

Established with a vision to redefine the landscape of architectural design, we pride ourselves on delivering excellence through our unparalleled products. Good Hand SCF has been a pioneer in the industry for 10 years. We are more than just manufacturers; we are creators, innovators, and collaborators, dedicated to delivering excellence in every project.

Step into our showroom and immerse yourself in a diverse range of decorative concrete and bricks options. From sleek and modern designs to rustic and traditional aesthetics, we offer an extensive selection to suit every style and preference. Whether you're looking to enhance your home, office, outdoor area, or commercial space, we have the perfect solution for you.

What sets us apart is our relentless pursuit of perfection. Each of our concrete and brick creations is meticulously crafted by skilled artisans who pour their expertise and passion into every detail. From intricate patterns to bold textures, our products exude character and charm, breathing life into any environment they grace.

Moreover, sustainability lies at the heart of everything we do. We are committed to eco-friendly practices, using responsibly sourced materials and employing innovative techniques to minimize our environmental footprint. By prioritizing sustainability, we not only protect the planet but also ensure that our creations endure for generations to come.

Our Products:

Explore our comprehensive range of products, including:

- Exposed Aggregate Concrete
- Stamped Concrete
- Bricks
- Micro Topping
- Render System
- Stones
- Tiles
- Sanitary Ware
- And much more!

Visit Us Today:

Experience the endless possibilities of decorative concrete and bricks firsthand at Good Hand SCF Showroom. Whether you're a homeowner, architect, designer, or contractor, We invite you to unleash your creativity and explore the limitless potential of our Products.

Transform your space with Good Hand SCF—where innovation meets imagination, and ordinary becomes extraordinary. We look forward to welcoming you soon!

INDEX

Licences & Certifications

| ISO Certificate ———————————————————————————————————— | 01 |
|---|------|
| Membership Certificate ———————————————————————————————————— | 02 |
| Company License ——————————————————————————————————— | - 03 |
| Artificial Stones are available in several variety | |
| Artificial Stones ———————————————————————————————————— | 04 |
| Technical Data | 14 |
| Artificial Stones Projects | |
| Project Gallery | 24 |



Certificate

This is to Certify that Good Hand Stones and Concrete Flooring

Showroom No 1, Good Hand Stones And Concrete Flooring L.L.C, Al Falasi Building - Salah Al Din St - Dubai, UAE

has been found in Compliance with requirements of

Quality Management System

ISO 9001:2015

for the following scope:

Deals in Exposed Aggregate, Stamped Concrete, Bricks, Micro Topping, Pool Render System, Color Plaster, Repair and Restoration of Decorative Concrete, Tiles and Sanitary Ware.

Certificate No. : QCC/95C9/0224

Issue Date : 26-February-2024

1st Surveillance Due : 25-January-2025

2nd Surveillance Due: 25-January-2026

Expiry Date : 25-February-2027

To check this certificate status visit: "https://qccertification.com/Client.aspx"









Authorised Signature

Control Certification



EAS is member of International Accreditation Forum (IAF)

"Quality Control Certification (QCC)" accredited by "Ethiopian Accredited Service (EAS)".

This certificate remains the property of "QCC" to whom it must be returned on request.

شهادة تسجيل العضوية **Membership Certificate**

| License no. | 892971 |
|----------------------|--|
| Membership no | . 340470 |
| Registration no. | 1499908 |
| Business Name | GOOD HAND STONES AND CONCRETE FLOORING L.L.C |
| Legal Status | Limited Liability Company(LLC) |
| Activity | Technical Services Works Electromechanical Works Contracting |
| Member Since | 30/06/2020 |
| Date of Issue | 30/06/2020 |
| Expiry Date | 29/06/2026 |

| رقم الرخصة | 892971 |
|-------------------|--|
| رقم العضوية | 340470 |
| رقم السجل التجاري | 1499908 |
| الاسم التجاري | جود هاند للأحجار و الأرضيات الخرسانية ذ. م.م |
| الشكل القانوني | ذات مسئولية محدودة |
| نوع النشاط | أعمال الخدمات الفنية مقاو لات الأعمال الإلكتروميكانيكية |
| تاريخ الإنتساب | 30/06/2020 |
| تاريخ الإصدار | 30/06/2020 |
| تاريخ الإنتهاء | 29/06/2026 |

Remarks

This certificate shall be invalid incase of any alteration without chamber's authorization

For online verification of this Certificate, please visit our website http://www.dubaichamber.ae/verify

Dubai Chamber of Commerce & Industry

P.O. Box 1457 - Dubai, U.A.E. | Tel (Within UAE) 800 CHAMBER (800 2426237) | Tel (Outside UAE) (+971) 4 2280000 هـا تــف Fax (+971) 4 2211646 فاكس customercare@dubaichamber.ae | www,dubaichamber.ae

الملاحظات

تعتبر هذه الشهادة لاغية في حال أي كشط أو تعديل عليها دون اعتماد ذلك من الغرفة

للتأكد من صحة بيانات الشهادة يرجى الرجوع إلى موقع الغرفة http://www.dubaichamber.ae/verify



Company Name





رخصة تجارية

Commercial License

تفاصيل الرخصة / License Details

رقم الرخصة 892971

اسم الشركة جود هاند للأحجار و الأرضيات الخرسانية ذ.م.م

GOOD HAND STONES AND CONCRETE FLOORING L.L.C

الاسم التجاري جود هاند للأحجار و الأرضيات الخرسانية ذ.م.م

Business Name GOOD HAND STONES AND CONCRETE FLOORING L.L.C

فئة الرخصة دائرة التنمية الاقتصادية License Category Dep. of Economic Development

الشكل القانوني ذات مسئولية محدودة Limited Liability Company(LLC)

تاريخ الإصدار 30/06/2020 Issue Date 30/06/2020 تاريخ الإنتهاء Expiry Date

رقم الرخصة الام Main License No. 892971 الرقم العالمي D&B D-U-N-S ® No

عضوية الغرفة DCCI No. 340470 عضوية الغرفة DCCI No. 340470

الاطراف / License Members

رقم الشخص/.No الإسم / Name الحصص / Share الحصص / Role

| | | | | | License Activities / | نشاط الرخصة التجارية |
|--------------------|-------------------|------------|--------|------------------|-------------------------------------|---------------------------|
| Activity | | | Status | الحالة | | النشاط |
| Technical Services | Works | 8 | Active | فعال | | أعمال الخدمات الفنية |
| Electromechanical | l Works Contracti | ng | Active | فعال | ميكانيكية | مقاولات الأعمال الإلكترو |
| | | | | | | العنوان / Address |
| Phone No | 971-4-2622888 | تليفون | | P.O. Box | | صندوق بريد |
| ax No | | فاكس | | Parcel ID | 127-2283 | رقم القطعة |
| Mobile No 9 | 71-56-1998402 | هاتف متحرك | | | sanju_kotak@hotmail.com | البريد الإلكتروني / Email |
| | | | | ي-هور العنز-ديرة | بن عمير بن عبدالله بن عفيرا الفلاسر | محل رقم-01 ملك عبدالله ب |
| | | | | | | الملاحظات / Remarks |

رقم الإيصال Receipt No. Receipt No.

الإمسارات THE EMIRATES يمكنك الآن تجديد رخصتك التجارية من خلال الرسائل النصية القصيرة، أرسل رقم الرخصة إلى 6969 (دو/

اتصالات) للحصول على اذن الدفع.

Zoho One for the first year احصل على زوهو ون مجاتاً للسنة الاولى

Get FREE access to

Zoho.com/det

number to 6969 (Du / Eticalat) to receive payment youcher

Now you can renew your trade license by sending a text message (SMS). Send your trade license



Artificial Stones made in UAE







































































































Product Description

Our artificial stones & bricks are designed for use over existing concrete and masonry, both Interior and exterior. Artificial stone is a blend of micro silica aggregates, Cement, white sand, German color pigments, and various additives that produce a stone. Artificial stones and bricks come in different textures, colors, and patterns to replicate a wide variety of finishes such as brick, tile, slate, and more. Once sealed, artificial stone is virtually water-impermeable, allowing it to be used in areas where water would otherwise pose a problem. In addition, because of its lightweight composition, it can be added to load-bearing walls, steel, masonry, calcium silicate walls, or other partitioned material.

Product Specification

- It is manufactured from high-quality materials that are carefully selected. Was a result, the material can withstand the harsh effects of adverse weather conditions.
- It is available in different forms and designs with a variety of colors to satisfy all tastes.
- It presents an ideal substance that isolates the outer surface from moisture and temperature.
- It is fastened to the construction of a substance firmly because its back surface is covered
- with the ideal type of pebbles.
- It is lower in cost for traditional material having comparable and to achieve similar design
- effect.
- It requires minimum maintenance as compared to other traditional construction materials.
- It is washable and can be easily cleaned.

Installation

There are many methods for fixing stone, but some specified are:

- Wet fix (Tile Adhesive)
- Wet fix (Cement Mortar)
- Dry fix (mechanical Cladding)
- 1. For D-STONE, Wet fixing with cement mortar is one of the methods compatible with this kind of stone which is covered with chips marble from its backside (fixing side). 2. For MOUNTAIN STONE, Mechanical fixing is one of the best solution keeping in mind the size of the stone and the weight of the stone. 3. For Valley STONE, both mechanical and Wet fixing are the suitable options.

The steps for these methods are: -

- 1. Water Curing
- 2. Mortar application
- 3. Installation of Stone
- 4. Water Curing after Fixing
- 5. Filling Joints between the Stones if applicable


Packaging


Our Artificial stone comes in individual packages containing material to install 1 m2 area with the weight of approximately 30 kg and can be carried easily.

Limited Warranty

Our products are free from manufacturing defects. However, Good Hand Technical Services LLC does not warrant or guarantee the artistry performed by any person/firm installing its products unless that firm is on the list of our official applicator. In no event shall Good Hand Technical Services LLC be liable for any incidental or consequential damages.


WET FIXING OPTION 1 FOR D-STONE





WET FIXING OPTION 1 FOR D-STONE





MATERIAL PERCENTAGE FOR D-STONE


| Material | Physical Specifications | Percentage |
|---------------------------|-------------------------|------------|
| Chips Material | Solid 30% | 30% |
| White Sand | Solid | 15% |
| Silica sand | Solid | 10% |
| Water, colors & chemicals | Liquid | 10% |

TESTING OF D-STONE

| Water Absorption | 6% depending on texture, to be tested further. |
|---|--|
| Compressive Strength | Avg. 09.00 N/mm2 (can be modified) |
| Unit Weight of D-Stone as DIM (435*200*25) mm | 3000:3500 gm |
| Chemical & Sulfate Resistance | It has good chemical resistance and sulfate resistance to prevent deterioration from acid, rain and other air bone pollutants. |
| Non-combustible | Good Hand Stone brand products showed zero flame spread and zero smoke development. |

WET FIXING OPTION FOR VALLEY STONE





DRY FIXING OPTION FOR VALLEY STONE



MATERIAL PERCENTAGE OF VALLEY STONE

| Material | Physical Specifications | Percentage |
|---------------------------|-------------------------|------------|
| Chips Material | Solid 30% | 30% |
| White Sand | Solid | 15% |
| White Cement | Powder | 30% |
| Silica sand | Solid | 15% |
| Water, colors & chemicals | Liquid | 10% |

TESTING OF VALLEY STONE

| Water Absorption | 6% depending on texture, to be tested further. |
|---|--|
| Compressive Strength | Avg. 07.00 N/mm2 (can be modified) |
| Unit Weight of D-Stone as DIM (500*100*25) mm | 2500:3000 gm |
| Thermal Properties | U-value is 0.570 based on a (25mm) thick sample. |
| Chemical & Sulfate Resistance | It has good chemical resistance and sulfate resistance to prevent deterioration from acid, rain and other air bone pollutants. |
| Non-combustible | Good Hand Stone brand products showed zero flame spread and zero smoke development |

DRY FIXING OPTION FOR MOUNTAIN STONE



MATERIALS PERCENTAGE MOUNTAIN STONE

| Material | Physical Specifications | Percentage |
|---------------------------|-------------------------|------------|
| Chips Material | Solid 30% | 30% |
| White Sand | Solid | 15% |
| White Cement | Powder | 30% |
| Silica sand | Solid | 15% |
| Water, colors & chemicals | Liquid | 10% |

TESTING OF MOUNTAIN STONE

| , | |
|---|--|
| Water Absorption | 6% depending on texture, to be tested further. |
| Compressive Strength | Avg. 09.00 N/mm2 (can be modified) |
| Unit Weight of D-Stone as DIM (600*300*25) mm | 10000:11000 gm |
| Thermal Properties | U-value is 0.570 based on a (25mm) thick sample |
| Chemical & Sulfate Resistance | It has good chemical resistance and sulfate resistance to prevent deterioration from acid, rain and other air bone pollutants. |
| Non-combustible | Good Hand Stone brand products showed zero flame spread and zero smoke development |









Stone Cladding at Thumaby Hospital, Ajman



Stone Cladding at Private Villa, Abu Dhabi









Stone Cladding at LULU Al Raha





Stone Cladding at Private Villa, Dubai



Stone Cladding at Private Villa, Dubai

TOGETHER WE GROW



THANKYOU!

GOOD HAND STONES AND CONCRETE FLOORING L.L.C

Showroom 1, Al Falasi Building,

Salahaldin Street Deira, Dubai - UAE

Telephone: P: +971 (4) 262 2888

E mail: Sales@goodhandpro.com