




RESIN BOUND



@goodhandscf

Showroom No-01, Al Falasi Building,
Salaheldin Street Deira, Dubai-UAE



@ghinteriorsLLC

+971 4 262 2888
www.goodhandpro.com

About Us: Crafting Beauty in Concrete and Bricks Showroom!

At Good Hand Stones and Concrete Flooring LLC, we are passionate about transforming ordinary spaces into extraordinary masterpieces. Our showroom is your gateway to a world where creativity meets craftsmanship, and where your imagination comes to life through the versatility of decorative concrete and bricks.

Established with a vision to redefine the landscape of architectural design, we pride ourselves on delivering excellence through our unparalleled products. Good Hand SCF has been a pioneer in the industry for 10 years. We are more than just manufacturers; we are creators, innovators, and collaborators, dedicated to delivering excellence in every project.

Step into our showroom and immerse yourself in a diverse range of decorative concrete and bricks options. From sleek and modern designs to rustic and traditional aesthetics, we offer an extensive selection to suit every style and preference. Whether you're looking to enhance your home, office, outdoor area, or commercial space, we have the perfect solution for you.

What sets us apart is our relentless pursuit of perfection. Each of our concrete and brick creations is meticulously crafted by skilled artisans who pour their expertise and passion into every detail. From intricate patterns to bold textures, our products exude character and charm, breathing life into any environment they grace.

Moreover, sustainability lies at the heart of everything we do. We are committed to eco-friendly practices, using responsibly sourced materials and employing innovative techniques to minimize our environmental footprint. By prioritizing sustainability, we not only protect the planet but also ensure that our creations endure for generations to come.

Our Products:

Explore our comprehensive range of products, including:

- Exposed Aggregate Concrete
- Stamped Concrete
- Bricks
- Micro Topping
- Render System
- Stones
- Tiles
- Sanitary Ware
- And much more!

Visit Us Today:

Experience the endless possibilities of decorative concrete and bricks firsthand at Good Hand SCF Showroom. Whether you're a homeowner, architect, designer, or contractor, We invite you to unleash your creativity and explore the limitless potential of our Products.

Transform your space with Good Hand SCF—where innovation meets imagination, and ordinary becomes extraordinary. We look forward to welcoming you soon!

INDEX

Licences & Certifications

ISO Certificate	01
Membership Certificate	02
Company License	03

Resin Bound

Resin Bound	04 to 11
-------------	----------

Technical Data

Technical Data Sheet	12
Decorative Resin Bond Flooring System	13
Resin Bound Details	14
Method Statement	15

Projects

Projects Gallery	18
------------------	----



Certificate

This is to Certify that
**Good Hand Stones and Concrete Flooring
LLC**

Showroom No 1, Good Hand Stones And Concrete Flooring
L.L.C, Al Falasi Building - Salah Al Din St - Dubai, UAE

has been found in Compliance with requirements of

Quality Management System
ISO 9001:2015

for the following scope:

**Deals in Exposed Aggregate, Stamped Concrete, Bricks, Micro Topping,
Pool Render System, Color Plaster, Repair and Restoration of Decorative
Concrete, Tiles and Sanitary Ware.**

Certificate No. : QCC/95C9/0224

Issue Date : 26-February-2024

1st Surveillance Due : 25-January-2025

2nd Surveillance Due : 25-January-2026

Expiry Date : 25-February-2027

Authorized Signature

Quality Control Certification

To check this certificate status visit:
"<https://qccertification.com/Client.aspx>"



EAS is member of International Accreditation Forum (IAF)

"Quality Control Certification (QCC)" accredited by "Ethiopian Accredited Service (EAS)".
This certificate remains the property of "QCC" to whom it must be returned on request.

شهادة تسجيل العضوية Membership Certificate

License no.	892971	رقم الرخصة	892971
Membership no.	340470	رقم العضوية	340470
Registration no.	1499908	رقم السجل التجاري	1499908
Business Name	GOOD HAND STONES AND CONCRETE FLOORING L.L.C	الاسم التجاري	جود هاند للأحجار و الأرضيات الخرسانية ذ.م.م
Legal Status	Limited Liability Company(LLC)	الشكل القانوني	ذات مسؤولية محدودة
Activity	Technical Services Works Electromechanical Works Contracting	نوع النشاط	أعمال الخدمات الفنية مقاولات الأعمال الإلكترونية ميكانيكية
Member Since	30/06/2020	تاريخ الإنتساب	30/06/2020
Date of Issue	30/06/2020	تاريخ الإصدار	30/06/2020
Expiry Date	29/06/2027	تاريخ الإنتهاء	29/06/2027

Remarks

This certificate shall be invalid incase of any alteration without chamber's authorization

For online verification of this Certificate, please visit our website
<http://www.dubaichamber.ae/verify>

غرفة تجارة وصناعة دبي
Dubai Chamber of Commerce & Industry

هاتف: P.O. Box 1457 - Dubai, U.A.E. | Tel (Within UAE) 800 CHAMBER (800 2426237) | Tel (Outside UAE) (+971) 4 2280000
فاكس: (+971) 4 2211646 | customercare@dubaichamber.ae | www.dubaichamber.ae

الملاحظات

تعتبر هذه الشهادة لاغية في حال أي كسب أو تعديل عليها دون اعتماد ذلك من الغرفة

للتأكد من صحة بيانات الشهادة يرجى الرجوع إلى موقع الغرفة
<http://www.dubaichamber.ae/verify>



رخصة تجارية Commercial License

تفاصيل الرخصة / License Details

License No.	892971	رقم الرخصة
Company Name	GOOD HAND STONES AND CONCRETE FLOORING L.L.C	اسم الشركة
Business Name	GOOD HAND STONES AND CONCRETE FLOORING L.L.C	الاسم التجاري
License Category	Dep. of Economic Development	فئة الرخصة
Legal Type	Limited Liability Company(LLC)	الشكل القانوني
Expiry Date	29/06/2027	تاريخ الإصدار
D&B D-U-N-S ® N		رقم الرخصة الام
Register No.	1499908	عضوية الغرفة
	تاريخ الإنتهاء	Issue Date
	الرقم العالمي	Main License No.
	رقم السجل التجاري	DCCI No.

الاطراف / License Members

Share / الحصص	Role / الصفة	Nationality / الجنسية	Name / الإسم	No./رقم الشخص
	Manager / مدير	Pakistan / باكستان	سانجاي بيركاش لوهانا	878305
			SANJAI PIRKASH LOHANA	

Print Date 17/04/2026 0:50 تاريخ الطباعة

Receipt No.

رقم الإيصال



يمكنك الآن تجديد رخصتك التجارية من خلال الرسائل النصية القصيرة، أرسل رقم الرخصة إلى 6969 (دو/ اتصالات) للحصول على اذن الدفع.

Now you can renew your trade license by sending a text message (SMS). Send your trade license

number to 6969 (Du/ Etisalat) to receive payment voucher

Get FREE access to Zoho One for the first year
احصل على زوهو ون مجاناً للسنة الاولى



Zoho.com/det

وثيقة إلكترونية معتمدة وصادرة بدون توقيع من دائرة الاقتصاد والسياحة في دبي. لمراجعة صحة البيانات الواردة في الرخصة يرجى مسح رمز الاستجابة السريعة
This is a certified e-document issued without signature by the department of Economy and Tourism. Kindly scan the QR Code to verify the certificate

“Resin Bound is available in several colors.”



“Resin Bound is made on-site”




Resin Bound



Resin Bound






Resin Bound



Resin Bound



Resin Bound




Resin Bound



Technical Data Sheet

Resin Bound



Resin Bound Flooring System

DESCRIPTION

A decorative outdoor floor systems composed of solvent free binder and colored or natural aggregate to create multiple decorative appealing designed floors, it has high permeability, hygienic and good adhesion to concrete and cement floors, Resin Bound has a chemical and great anti-slip properties.

Application

Garden floors - patios - public places - showrooms and next to swimming pools

Physical Properties

Solid Content	100%
Pot Life	45 mins
Flash Point	Non- flammable
Compressive Strength (ASTM C109)	55 N/mm2
Coverage	2kg binder: 20 kg aggregate/1 m2/ thickness 1 cm
Application temperature	Under 10°C or over 35°C

Advantages of Resin Bound

Easy application:

single-component formulation for straightforward installation

High adhesion

excellent bonding to various substrates.

UV resistance:

maintains color and appearance even in outdoor conditions.

Flexibility:

absorbs minor substrate movements without cracking.

Cost-effective:

ideal for budget-conscious projects.

Resin Bound System Properties

High mechanical strength:

withstands heavy traffic without deterioration.

Durability:

resistant to abrasion, impact, and weather changes.

Customizable aesthetics:

available in a wide variety of colors and textures.

Slip resistance:

ensures safety on wet or slippery surfaces.

Water permeability:

perfect for outdoor applications requiring drainage.

Method Statement

1. Scope of Work

- This Method of Statement details the installation procedure for Resin Bound surfacing by Good Hand Stones & Concrete Flooring LLC. Resin Bound is a permeable, UV-stable decorative surfacing system applied to driveways, pathways, pool surrounds, and landscaped areas.

2. Product Description

- Material: UV-stable aliphatic polyurethane resin + kiln-dried aggregate
- Thickness: 15 mm – 18 mm (standard) / 20 mm (heavy duty)
- Application: Driveways, pathways, patios, pool surrounds, retail areas
- Aggregate Options: Natural gravel, quartz, marble, recycled glass – multiple colours
- Starting Price: From AED 180 per SQM (indicative)

3. Pre-installation requirements

3.1. Base Preparation

- A sound, stable base is essential. Typically a macadam (asphalt) or concrete base is specified.
- New macadam base: minimum 40 mm dense macadam binder course. Allow 48 hours to cool and harden before resin application.
- New concrete base: minimum 100 mm reinforced slab. Allow 28 days to cure; surface must be dry.

- Existing surfaces: clean thoroughly to remove oil, moss, algae and contaminants. Power-wash and allow to dry.
- Install perimeter edging (aluminium or steel restraint) at correct finished level before surfacing commences.
- Check falls and drainage; standing water on the base is not acceptable.

3.2 Material Preparation

- Aggregate must be kiln-dried to a moisture content of less than 0.5% before mixing.
- Check ambient temperature: work must not proceed below 5°C or if rain is forecast within 4 hours.
- Pre-weigh aggregate batches per the mix design to ensure consistent colour across the installation.

4. Application procedure

- Lay out string lines or reference points to define the installation area, levels, and any colour change zones.
- Pour the correct ratio of resin (Part A and Part B) into a forced-action mixer and blend for 30 seconds.
- Add the pre-weighed kiln-dried aggregate to the resin and mix for a further 90 seconds until all stones are fully coated.
- Empty the mixer immediately onto the prepared base surface. Do not allow mixed material to sit in the drum.
- Spread the material evenly using a squeegee rake to the target thickness (typically 15–18 mm).
- Trowel the surface with a hand trowel or power float to achieve a consistent, closed finish. Work in sections, maintaining a wet edge.
- Apply a scrim mat at all edges and joints to reinforce the perimeter.
- Allow to cure undisturbed. Initial set: 3–4 hours. Foot traffic: 12 hours.

- Vehicular traffic: 24–48 hours (depending on temperature).
- Inspect the completed surface for any uncovered aggregate, thin spots or colour variation. Rectify before full cure.
- Remove all masking, clean edging profiles and sweep off any loose aggregate from adjacent surfaces.

5. Quality & safety

- A minimum of 3m² test panel to be approved by client prior to full installation.
- Mixed resin has a pot life of approximately 15–20 minutes; never overfill the mixer.
- PPE: solvent-resistant gloves, safety glasses, safety boots. Provide eye wash station on site.
- Resin components are hazardous if ingested or if prolonged skin contact occurs; refer to product MSDS.
- Finished surface to be inspected for permeability, colour consistency, and edge detail.
- Provide client with a maintenance guide: periodic washing with low-pressure water; avoid oil spills.


Our Projects



Pool Deck project at Dubai




Exterior Staircase project at villa project





Office meeting room project at Dubai



Living Room project at villa project



Pool Deck Project at Private Villa



Pool Deck Project at Al Quoz

TOGETHER WE GROW

"Our Affiliate"



THANKYOU!

GOOD HAND STONES AND CONCRETE FLOORING L.L.C

Showroom 1, Al Falasi Building,

Salahaldin Street Deira, Dubai - UAE

Telephone: P: +971 (4) 262 2888

E mail: Sales@goodhandpro.com